

non-profit organization committed to the preservation and reestablishment of native wildflowers.

Take advantage of improving spring weather—get your garden in order

"I grew up in the country—
rather alone — and one of my
favorite pastimes was to walk
in the woods, exploring,
particularly in springtime,
searching for the the first wild
violets and starry white
blossoms of dogwood, feeling
the crush of pine needles
underfoot, the wind whispering overhead "

Lady Bird Johnson Wildflowers Across America

Depending on where you live and how you define spring, this favorite season may have just begun or, perhaps, is beginning to fade In the northern hemisphere, spring officially begins on the equinox in March and ends on the summer solstice in June

Spring's arrival in Central Texas is heralded by the first Indian paintbrush and bluebonnets. In the Midwest, its arrival is confirmed by the first robin sighting. In southern California, it's the return of the swallows to Capistrano

Regardless of geographic location and personal perspective, spring's longer, warmer days are an enticement to get outside Here's a sampling of wildflower and native plant activities — gardening and otherwise — you could participate in this spring.

• Increase the diversity of species in your habitat garden Spring is a great time to plant containergrown natives, especially as soon as the soil is workable, so they'll have a chance to overcome transplant shock and get acclimated before the summer heat sets in Some species can be sown in the spring Check seed packets or local references for information on when to

plant seeds.

- Evaluate your wildflower meadow Plant more seeds or container-grown native plants to fill in bare spots Mow a swath around the edge or through the middle for a more stylized look
- If you want to increase your plants or share some with a friend, now is the time to dig and divide fall-bloomers such as goldenrod, liatris, and maximillian sunflowers.
- Remember to let your spring blooming annual wildflowers go to seed before mowing
- Cut back herbaceous perennials that died over the winter. Compost the plant debris.
- If you have limited garden space, try growing native plants in a pot or other container
- Apply mulch to planted beds and bare soil to insulate roots, conserve moisture and reduce erosion and competition with weeds for water and light Many weed seeds need light to germinate, so covering them with mulch is an excellent germination deterrent. Weed seedlings are easier to remove from mulch than from soil Leave a few inches of space between the plant and the mulch to prevent the stem from rotting
- Check your irrigation system for leaks and plugged nozzles In areas planted with thirsty turfgrass, consider reducing the grass-covered area by planting low-wateruse native plants.
- Make a commitment to yourself and the Earth not to use pesticides that can wash into streams and water supplies. Adopt an organic or integrated pest management approach to controlling pests.

Raise your tolerance of pests.

- On your own land, preserve natural communities where possible by incorporating native plants into your landscape
- Start a garden diary Record blooming dates, planting dates, and other observations
- Experiment using wildflowers and grasses as cut flowers
- Put in a bird bath, bird feeder, or both.
- * Duy plants from your local native plant nursery or garden shop. Ask whether the plants were nursery grown of dug from the wild
 - Take a wildflower tour
- Plant a tree to commemorate a birth or marriage
- Spend a day exploring nature with a child
- Call or write your state's Department of Transportation to compliment roadside wildflower plantings or encourage planting them
- Help organize a plant rescue.
- Join your local native plant society

Whether you want to conserve natural resources; expand your educational horizons or improve the general aesthetics of your surroundings, get into some hands-on encounters with nature

Appreciating seasonal cycles reduces stress, teaches patience, and, best of all, is great fun. Get involved for your own health and the health of our planet

Denise D Delaney Horticulturist National Wildflower Research Center

GIFTS INSIDE

Director's Report

Invest in the Wildflower Center's future

The construction of the Wildflower Center's new home made progress in late February with receipt of our building permits and the pouring of the first foundations. After four months of careful site development and concentrating on protecting the land during excavation, the actual construction activities are now fully underway. As soon as all the foundations are completed, walls and roof trusses will start going up and the buildings will really start taking shape!

Thanks to an incredible effort. by a small group of our Board of Trustees, we have raised 75 percent of the \$8 million needed for construction. Now, we must match a generous \$400,000 challenge grant from the Kresge Foundation in Michigan.

Because of the interest shown

by Wildflower Center members in being part of this wonderful new facility, we would like to extend the opportunity to our members to help us with two key items: hardwood floors in the Education Gallery, library, and office reception area; and limestone blocks for the courtyards, building walls, and garden walls.

For those partial to gardens instead of buildings and construction materials, the site planner and landscape architect have designed a "Members Garden" to be be built and planted exclusively from contributions made by Wildflower Center members. A donation of any amount will count toward the funding of this garden, which will cost \$25,000 to complete. While planted only with indigenous plant species, the garden will be designed to provide a beautiful, formal

setting and provide constant color throughout the year.

Please use the pledge form on page 6 to make your donation to the Center's new home. I look forward to providing updates through the rest of 1994 as we anticipate our move to the new site in the early spring of 1995. We believe you, our members, will find the Wildflower Center's new home something of which you can be truly proud. We hope each of you will want to become a permanent part of our new facility and hope all of you will be able to visit as soon as we are open.



David K. Northington, Ph.D., is the Executive. Director of the National Wildflower Research Center.

Wildflower

Founder: Lady Bird Johnson

Executive Director: David K

Northington, Ph.D. Editor: *F. M. Oxley

Graphic Designer: Elaine Brown

Copy Editors: Angela Barton, Dyanne.

Cortez

Illustrations: Michael Wall

Wildflower (ISSN 0898-8803). Published bimonthly. A portion of \$25 membership dues pays for your annual subscription to Wildflower, National Wildflower Research Center, 2600 FM 973 North, Austin, TX: 78725-4201. Phone: (512) 929-3600. Material may be reprinted with the permission of the editor. Second class postage paid at Austin,

POSTMASTER: Send address changes to Wildflower, NWRC, 2600 FM 973 North, Austin, TX 78725-

WILDFLOWER CENTER NEWS

Nine adventurous members spent the last two weeks of March exploring Ecuador and the Galapagos Islands on this year's first EcoTour Led by Center botanist Flo Oxley and Education Director Julie Barrett Heffington, the group visited the rainforest, the Charles Darwin Research Station, Cotopaxi, the world's highest active volcano, and saw some of the world's rarest creatures and plants

The Wildflower Center co-sponsored a native plant symposium with the Santa Barbara Botanic Garden. "Plant Conservation and Landscape Design. An Ecological Approach." Wildflower Center Executive Director Dr David Northington spoke on "Grasslands. Habitats and Restoration Efforts "

Julie Barrett Heffington and Flo Oxley attended the "Non-profits in Travel Conference" February 28 in Washington, DC The conference focussed on developing and offering educational and environmentally sensitive ecotours as a positive membership benefit

Dr David Northington will be the keynote speaker for the 1994 National Convention of the National Council of State Garden Clubs May 20 in Stamford, Connecticut Every local chapter of the NCSGC has pledged \$10 to the Wildflower Center's new facility capital campaign

Director of Volunteer Services, Peggy Budd, held several volunteer orientation sessions focussed on the new facility. Many new volunteer opportunities will occur when the Center relocates In-depth training in botanical and interpretation will be offered to volunteers selected to act as docents

By the time this column appears, the foundations will have been poured for the buildings at the Center's new site Construction is underway and the projected opening date is April 1995

How the length of day and night affect flowering

Driving north from Texas to Ohio last March, I noticed the further north I drove, the wildflowers along the highway seemed to disappear. Over a span of a dozen miles or so, the roadside flowers became less dense until just a few were scattered here and there On the return trip twelve days later, I noticed prodigious numbers of wildflowers where they had been sparse before. Why? What triggers a flower to bloom in one place one week and another place the next?

Plants respond to many stimuli, including air and soil temperature, moisture, soil condition, and light The temperature and amount of moisture present may change from year to year, and other environmental stimuli, such as soil condition, are not constant factors The amount of light, however, remains constant from year to year.

Light has three characteristics: duration, quality,

during different seasons, a process known as photoperiodism Until recently, botanists thought the amount of daylight triggered flowering However, research has shown the amount of darkness causes most plants to bloom. In the spring, as the days become longer, the nights become shorter — and once the needed hours and minutes of darkness have been reached, the plant will bloom

But why do the same species bloom at different times in different latitudes?

The seasonal change


from winter to spring is caused when the Earth gets closer to the sun - and more importantly - when the Earth changes its attitude relative to the sun. During the winter, the Northern Hemisphere is tilted away from the sun, but in the spring, the Earth's axis starts tilting toward the sun, so the Northern Hemisphere gradually receives increasing amounts of daylight. As the Earth tilts, the sun appears higher in the sky The lower latitudes, closer to the sun, receive a little more daylight sooner than

the higher latitudes

For example, on March 17th, at 31 degrees north latitude, the night might be twelve hours long At 34 degrees north latitude, the night might be twelve hours and five minutes If a plant needs twelve hours of darkness to bloom, it will bloom first at 31 degrees north Ten days later, the 35 degrees north latitude location will be receiving a shorter period of darkness, and the plants in that area will bloom.

Plants requiring shorter amounts of darkness to bloom, such as lupines (Lupinus spp.) and blue phlox (Phlox divaricata), are known as short-night plants The whole process is reversed in the fall as the nights get longer Longnight plants include strawberries (Fragaria chiloensis) and woolly blue violets (Viola papilionacea).

Photoperiodism is indeed interesting Although not all plants respond in this way to light,





MOTEBOOK



Botanical Name. Aconitum columbianum
Pronunciation. Ack-OH-nutom cole-um-BEE-a-numb
Common Name: Monkshood
Family Name. Ranunculaceae
(Buttercup Family)
Range: Throughout western
North America

Habitat. Moist woods and high mountain meadows, usually along streams Bloom Period. June to August

The first time I looked into a monkshood flower, I expected to see a small,

serene face staring out at me! Yes, this plant really does resemble the cowl, or hood, of a monk's robe Flowers are produced in racemes and may range in color from a deep bluish-purple to a greenish-yellow White forms are occasionally encountered.

A round head of purple petals is surrounded by a series of sepals. The upper sepal, hood-shaped and beaked at the front, forms the cowl. Two broad sepals frame either side of the flower, while two smaller sepals are found below.

Many species of Aconitum are poisonous or a source of drugs Monkshood is extremely toxic to livestock and has occasionally killed people who have eaten it.

Because it is toxic both before and after it flowers, young greens may also pose a danger. The roots may be mistaken for the edible fleshy roots of other species. When raw plant parts are chewed, they produce a tingling sensation in the mouth

A perennial, monkshood does well in rich soils and partial shade Once plants become well established, they should not be disturbed unless absolutely necessary. They will die if they are dug up and moved Easily propagated by seed or division, monkshood seedlings generally take two to three years to flower.

A European cousin of monkshood, Aconitum napellis, is the "wolfbane" of werewolf legends



Botanical name: Salvia azurea Pronunciation: SAL-vee-ah az-YOO-ree-ah Common name: Blue sage, pitcher sage Family name: Labiatae (Mint Family) Range: Minnesota, south to Florida, west to Arkansas, Texas, Mexico, introduced in

Colorado and Nebraska

Habitat: Dry prairies Bloom Period. July to October

Salvia azurea is a wide ranging perennial flower that has been spread even farther by gardeners who love it. The sky blue flowers are whorled along a square stalk that can reach four feet in height. The lower leaves are often lanceolate or oblong and serrate while the upper leaves are linear.

The fubular flowers are two-lipped, a characteristic of flowers in the mint family. The upper lip is two fused petals that shelter the pollen bearing anthers. The lower lip is broad and three-lobed, about half an inch to three-fourths of an inch long, twice as long as the upper lip and is blue striped with white

A bee looking for nectar might first be attracted to the blue color, finding a convenient landing pad on the broad lower lip. Guided by white stripes called *nectar guides*, the bee searches for nectar, brushing against the anthers and picking up pollen

The genus name Salvia

is Latin for "healer" and many salvias have been used medicinally. The specific epithet, azurea, is Latin for sky-blue.

Salvia azurea does well in open, well-drained areas. The seeds need no treatment and can be planted in the fall when they are mature or saved and planted in the spring. As with many perennials, patience is needed as flowers planted from seed may not bloom the first year. They must first develop their thick perennial roots.

Many salvias are easily propagated from tip cuttings Take five-inch cuttings from new growth below a node, remove the lower leaves, and place in a moist, porous potting soil Using a rooting hormone may help

Flora Fest '94, May 1-8, Niles, MI Contact: Fernwood Botanic Garden. 13988 Range Line Rd, Niles, MI 49120

Brushfires in California Wildlands: **Ecology and Resource Management** Symposium, May 6-7, Irvine, CA Contact: Dr Jon E. Keeley, Professor of Ecology, Dept. of Biology, Occidental College, Los Angeles, CA 90041

Plants and People of the Southern Sonora, May 11, Tucson, AZ Contact: Arizona Native Plant Society, Tucson Chapter, PO Box 41206, Sun Station, Tucson, AZ 85717

Sixth Annual Wildflower Pilgrimage, May 12-14, Door County, WI Field trips to various natural areas, state parks, and private lands. Preregistration required Contact: The Ridges Sanctuary, PO Box 152, Bailey's Harbor, WI 54202-0152, (414) 839-2370

Ecosystem Management Strategies for the Lake Superior, May 16-19, Duluth, MN Contact: Cont Ed & Extension, Univ of Minnesota-Duluth, 403 Darland Admin Bldg, 10 University Dr, Duluth, MN 55812-2496, (218) 726-6819

Wetlands Restoration and Creation, May 19-20, Tampa, FL Contact: Frederick J Webb, Dean of Environmental Ed. Programs, Hillsborough Comm College, Plant City Campus, 1206 N Park Rd , Plant City, FL 33566, (813) 757-2104

Oklahoma Wildflower Workshop, May 20-21, Tulsa, OK Contact: Joanne Orr, Beautification Coordinator, Oklahoma Dept. of Transportation, 200 NE 21st Street, OKC, OK 73105, (405) 521-4037

Tree City USA National Conference, June 5-7, Nebraska City, NE Contact. The National Arbor Day Foundation, PO Box 81415, Lincoln. NE 68501-1415, (402) 474-5658

Symposium on Society and Resource Management, June 7-10, Fort Collins, CO Contact: College of Natural Resources, Colorado State Univ, Fort Collins, CO 80523, (303) 491-6591

Connecticut State Museum of Natural History and Audubon Society of Northeast Connecticut Ninth Annual Wildflower Festival, June 12, Storrs, CT. Contact: Carol Davidge, Connecticut State Museum of Natural History, University of Connecticut, U-23, 75 North Eagleville Road, Storrs, CT 06269-3023, (203) 486-4460

Global Strategies for Environmental Issues, June 12-15, New Orleans, LA Contact: Natl Assoc of Environmental Professionals, 5165 MacArthur Blvd NW, Washington, DC 20016, (202) 966-1500

Ecosystem Health and Medicine: New Goals for Environmental Management, June 19-22, Ottawa, ONT Canada Contact: Remo Petrongolo, Symposium Mgr., Ofc of Cont. Ed., 159 Johnson Hall, University of Guelph, Ont, N1G 2W1 CANADA, (519) 824-4120, ext 3064

American Horticultural Society's Open House at River Farm, celebrating the new children's garden. June 19-20, Alexandria, VA Contact AHS at (703) 768-5700

International Conference on Ecology and Environment, June 20-24, Drake Bay, Costa Rica Contact: Elizabeth Arnaez, Dept of Biology, Costa Rica Institute of Technology, PO Box 159, Cartago, Costa Rica, Central America

Native Plants in the Landscape, June 23-25, Millersville University, Millersville, PA Contact: Grace Evans, (717) 872-3742

Cities and Sustainable Development, June 24-July 3, Manchester, England Contact: Global Forum '94, Eastgate, Castle St, Castlefield, Manchester, M3 4LZ, United Kingdom

Questions, questions, auestions! the Clearinghouse at the National Wildflower Research Center answers thousands of

questions a year on wildflowers and native plants and how to grow them.

Q: What happened to my Wildflower Center member number? I know it was a long number, but I don't remember what it was. Now there are only five letters on my membership card.

= "adqnr"

A: Those five letters are your newmembership ID. Your ID serves the same pürpose as your membei number did—it helps us make sure you get all the benefits you re entitled. to as a Wildflower Center member. Why the change? It's part of our conversion to a new computer 🦼 system. An alphabetic code is shorter and easier to type than a numeric one. Technology marches on!

–Membership Department

Q: What is the best time to plant sunflowers?

Mike Odell

A: The best time to sow sunflower seeds is midsummer (July and August) after they have been refrigerated for nearly a year, Sunflowers can also be propagated using stem cuttings taken anytime before flowering. Place the cuttings in a fast draining medium (3 parts sand to 1 part peat). When the roots are one inch long, transplant the cuttings into four inch pots and allow them to overwinter in å protected area outside. The plants can be transplanted into the garden the following spring.

— Clearinghouse

Center facility \$ 50 Hard wood floor plank \$ 20 Small building stone ovided information below mation if you wish to charge your contribution Ex Date
mation if you wish to charge your contribution.
Ex Date
Work ()
ease enter a membership in the category checked at left:
ddress. ty/St /ZIP. none.
ift Membership: If you are giving this membership as a ft, please enter your name and address below onor Name

NATIONAL WILDFLOWER RESEARCH CENTER 2600 FM 973 NORTH, AUSTIN, TEXAS 78725-4201

Second Class Postage Paid at Austin, Texas

NATIONAL WILDFLOWER RESEARCH CENTER 4801 LaCrosse Blvd. Austin, Texas 78739 (512) 292-4200

Wildflowers Work!

Volume II Number 3 May/June 1994

Printed on recycled paper